



- NOTES:
- 1- ALL DIMENSIONS TO BE CHECKED AT SITE AND REPORTED TO ENGINEER FOR ANY DISCREPANCIES.
  - 2- FIGURED DIMENSIONS TO BE USED, DRAWINGS ARE NOT TO SCALE.
  - 3- IN ANY DISCREPANCIES DETAILED SPECS. AND SCHEDULES ARE TO BE FOLLOWED.
  - 4- ANY CHANGES MUST HAVE WRITTEN AGREEMENT FROM ENGINEER AND OWNER.
  - 5- PRIOR TO PRICING ALL DRAWINGS TO BE REVIEWED BY CONTRACTORS AND BE COORDINATED WITH ALL DISCIPLINES AND CODES.
  - 6- ALL LIGHTS' AND ELECTRICAL DEVICES' LOCATION ARE APPROXIMATE AND SITE ACTUAL CONDITIONS WILL BE THE KEY FACTOR FOR INSTALLATION.
  - 7- DETAILED INSTALLATION INSTRUCTION AND PROPER SYSTEM OPERATION PROVIDED BY LOCAL INSTALLATION STANDARDS AND BY FIRE ALARM CONTROL PANEL INSTRUCTION, HRM BUILDING OFFICIALS AND AHJ.
  - 8- WIRING IS DONE AS THE FIRE ALARM CONTROL PANEL AS PER CODE.
  - 9- VOICE ALARM SYSTEM AS PER CODE NBC 3.2.4.22 SHALL BE AUDIBLE AND INTELLIGIBLE IN ALL PARTS OF THE BUILDING AND ALL UNITS WITH EVEN BEDROOMS DOOR CLOSED.

CLIENT:

**JP SUN &  
MOHAMMAD RANJBARZADEH**

ARCHITECT:

**Paul Skerry Associates Ltd.  
ARCHITECTS**

5514 LIVINGSTONE PLACE  
HALIFAX N.S. B3K 2B9

PHONE: 902-455-4361  
FAX: 902-455-7778  
EMAIL: pskerry@pskerry.ca

CONSULTANT:

.....\Fresh\_Documents\Lighting\PARSCO Logos.jpg

Suite 5 - 1350 Bedford HWY, Bedford, NS B34 1E1  
Tel: +1 (902) 402-1323  
Email: mranjbar@parscoeng.com  
Web: www.parscoeng.com



C5	REVISED FOR PERMIT	06/17/25
C4	RE-ISSUED FOR PERMIT	05/02/24
C3	ISSUED FOR HRM PERMIT	12/01/21
C2	ISSUED FOR PERMIT	07/27/21
C1	ISSUED FOR REVIEW ONLY	05/28/21
No.	DESCRIPTION	Date

REVISIONS
PROJECT
APARTMENT BUILDING
143 & 153 SACKVILLE Dr. SACKVILLE Dr., NS

TITLE:	SITE PLAN
drawn by:	checked:
M.R.	M.R.
date:	approved:
MAR, 2021	M.R.
scale:	dwg #:
AS SHOWN	E100
project #:	
200148	